



LP413 LED Panel Light

UGR<19

CRI≥80

PF≥0.9

5 yrs WARRANTY

200 LM/W

IP20

ENERGY CLASS B


CE

RoHS

Code	Size (L×W×H)mm	Product Type	Power (W)	CCT (K)	Lumen (lm)	Effi. (lm/W)	PF	CRI	UGR	Driver	IP
813320	595×595×34	Back Lit	30	4000	4200	140	>0.9	>80	/	PHILIPS	IP20
811240	595×595×34	Back Lit	18/25	4000	3600-5000	200	>0.9	>80	<22	PHILIPS	IP20
811141	595×595×34	Back Lit	18/25	3000	3600-5000	200	>0.9	>80	<19	PHILIPS	IP20
811241	595×595×34	Back Lit	18/25	4000	3600-5000	200	>0.9	>80	<19	PHILIPS	IP20
821240	620×620×34	Back Lit	18/25	4000	3600-5000	200	>0.9	>80	<22	PHILIPS	IP20
821241	620×620×34	Back Lit	18/25	4000	3600-5000	200	>0.9	>80	<19	PHILIPS	IP20
831141	295×1195×34	Back Lit	18/25	3000	3600-5000	200	>0.9	>80	<19	PHILIPS	IP20
831241	295×1195×34	Back Lit	18/25	4000	3600-5000	200	>0.9	>80	<19	PHILIPS	IP20


Features & Benefits

- Up to 200 lm/W ultra-high efficiency with Philips driver to ensures maximum energy savings and stable, flicker-free performance for long-term use.
- Switchable power (18W/25W) and CCT (3000K/4000K/6000K) enable flexible adaptation to multiple lighting scenarios with reduced SKU complexity.
- UGR<19 optional with uniform back-lit optical design delivers low-glare visual comfort fully compliant with EN12464-1 office lighting standards.
- PF ≥0.95 with 220–240V input and CE/ENEC/UKCA certified driver guarantees high electrical efficiency and reliable European project compliance.



Versatile Applications


Offices • Workshops • Parking Lots • Hotels • Supermarkets



Packaging Diagram

Industrial packing

Code	Packing Qty.	Carton Size (L*W*H)	Volumetric Weight	Net Weight	Gross Weight	Model No.
813320	8pcs/Carton, 1pc/Inner box	62×30×62.5cm	23.3KG	10.4KG	11.9KG	LP413-6060-30W-3K
811240	8pcs/Carton, 1pc/Inner box	62×30×62.5cm	23.3KG	10.4KG	11.9KG	LP413-6060-18W-4K
811141	8pcs/Carton, 1pc/Inner box	62×30×62.5cm	23.3KG	10.4KG	11.9KG	LP413-6060-18W-3K-U19
811241	8pcs/Carton, 1pc/Inner box	62×30×62.5cm	23.3KG	10.4KG	11.9KG	LP413-6060-18W-4K-U19
821240	8pcs/Carton, 1pc/Inner box	64.5×30×65cm	25.2KG	10.4KG	11.9KG	LP413-6262-18W-4K
821241	8pcs/Carton, 1pc/Inner box	64.5×30×65cm	25.2KG	10.4KG	11.9KG	LP413-6262-18W-4K-U19
831141	8pcs/Carton, 1pc/Inner box	122×30×32.5cm	23.8kg	10.4KG	11.9KG	LP413-3012-18W-3K-U19
831241	8pcs/Carton, 1pc/Inner box	122×30×32.5cm	23.8kg	10.4KG	11.9KG	LP413-3012-18W-4K-U19



Commercial packing

Code	Packing Qty.	Carton Size (L*W*H)	Volumetric Weight	Net Weight	Gross Weight	Model No.
813320	5pcs/Carton, 1pc/Inner box	62×22×65cm	17.8KG	8KG	11.9KG	LP413-6060-30W-3K
811240	5pcs/Carton, 1pc/Inner box	62×23×65cm	18.6KG	8KG	10.6KG	LP413-6060-18W-4K
811141	5pcs/Carton, 1pc/Inner box	62×23×65cm	18.6KG	8KG	10.6KG	LP413-6060-18W-3K-U19
811241	5pcs/Carton, 1pc/Inner box	62×23×65cm	18.6KG	8KG	10.6KG	LP413-6060-18W-4K-U19
821240	5pcs/Carton, 1pc/Inner box	66×24×67cm	21.3KG	8.5KG	11.2KG	LP413-6262-18W-4K
821241	5pcs/Carton, 1pc/Inner box	66×24×67cm	21.3KG	8.5KG	11.2KG	LP413-6262-18W-4K-U19
831141	5pcs/carton, 1pc/inner box	123×22×35cm	18.9kg	8KG	10.6KG	LP413-3012-18W-3K-U19
831241	5pcs/carton, 1pc/inner box	123×22×35cm	18.9kg	8KG	10.6KG	LP413-3012-18W-4K-U19

